

ANT TREATMENT NOTIFICATION

Formicidae



To achieve the best results from an ant treatment, it is important to carry out the following steps prior to treatment:

Exterior:	<ul style="list-style-type: none"> • Remove all Vegetation from touching the structure eg; Vines, tree limbs, bushes etc. This will help prevent the ants using foliage as a bridge access onto home • Ensure soil and bark mulch is pulled away from the foundation, showing at least 2" of concrete (4" ideal) • Remove Wood piles or Wood Debris away from home
Interior:	<ul style="list-style-type: none"> • Move any necessary items identified during the inspection to facilitate treatment of required wall voids or areas of ant activity.

PESTICIDE USE NOTICE

Preferred Pesticides that may be used during treatment:

Dragnet	Permethrin 0.5%	PCP 24175
Drione Dust	Pyrethrin 1%, Silica AeroGel 40%	PCP 15255
Demand CS	Lambda-Cyhalothrin 0.03%	PCP 27428
ULV110	Pyrethrins 1%	PCP 15330
Timbor Dust	Disodium Octoborate Tetrahydrate 98%	PCP 24091
Tempo WP	Cyfluthrin 0.05%	PCP 25673
Avert CA Bait	Abamectin 0.011 %	PCP 27864
Optiguard Gel Bait	Thiamethoxam 0.01%	PCP 30788
Temprid	Imidacloprid/Beta-cyfluthrin 0.073%	PCP 32524
Niban Granular	Boric Acid 5.0%	PCP 26565
Quantum Ant Bait	Imidacloprid 0.03%	PCP 30513



BC Poison Control Information Centre 1-800-567-8911

Following treatment: Ventilate upon re-entry to the treated area by opening doors and windows. Ants may be seen for up 2-3. weeks after treatment.

See Next Page



Information Sheet for Occupants of indoor areas treated with Temprid SC.

To be posted at points of entry or given to the occupant.

This area has been treated with Temprid SC (Reg. No. 32524), containing the active ingredients imidacloprid and beta-cyfluthrin.

DATE APPLIED:

TIME APPLIED:

- Bystanders and animals must not be present during application.
- **Do not re-enter the treated area until at least 6 hours after the product has been applied.**
- Ventilate treated areas, either by opening windows and doors or through the use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air.

The following adverse effects have been reported following re-entry into areas treated with products containing beta-cyfluthrin: respiratory effects such as cough, sore throat, or shortness of breath nausea, dizziness, eye irritation.

If you experience effects, leave the area and ventilate further. For medical information, call 1-800-334-7577.

If you experience effects that do not resolve rapidly or become worrisome, contact your health care professional.

For information pertaining to this application, contact Victoria Pest Control.

For more information, contact:

BAYER CROPS SCIENCE INC.
Suite 200, 160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3
Telephone: 1 888 283- 6847

