

## COCKROACH TREATMENT NOTIFICATION

UNIT:  
DATE:  
TIME:



### PESTICIDE USE NOTICE

The following materials may be used in your suite:

Seclira Gel:	Dinotefuran	@ 0.5%	PCP# 33424	Amount: _____
Maxforce Impact:	Chlothianidin	@ 1%	PCP# 32275	Amount: _____
Avert Dry Flowable:	Abemectin	@ 0.05%	PCP# 28403	Amount: _____
Seclira Pressurized:	Dinotefuran	@ 0.5%	PCP# 33422	Amount: _____
Timbor Dust:	Disodium Octaborate	@ 98%	PCP# 24091	Amount: _____
Seclira WSG	Dinotefuran	@ 0.3%	PCP# 34186	Amount: _____

**For the above products Health Canada recommends that all pets and occupants vacate until treatments have dried. Please do not enter treated areas for 2-4 hours during and after treatment.**

**YOU MAY RE-ENTER YOUR UNIT AT:** \_\_\_\_\_

### In order for us to achieve the best results possible, please continue to do the following:

- Remove all food debris, recycling, garbage, loose papers, and empty cardboard.
- All opened food is to be placed in fridge, and countertops free of dishes or belongings.
- Please remove any unused/old electronics. Insects love hiding and living in electronics.
- Please ensure all walls are accessible, including electrical outlets.
- Excess clothing should be laundered and bagged, insects love hiding in unwashed clothes.
- Please ensure all furniture surfaces are clear of belongings so we may inspect them, including couches. This requires us to flip furniture upside down, cockroaches love hiding under things!

If the above is not done, or units are in condition that prevents us from being thorough, we may not solve your cockroach problem until conditions improve. Please note that although your unit has been treated, you may still see cockroach activity, **this is normal!** Cockroaches typically take at least two treatments to be controlled, however you should see a reduction in activity within 5 days. If needed, we will be returning to inspect and/or treat your unit.

**Thank you for your help! Our success depends on your co-operation!**

BC Poison Control Information Centre 1-800-567-8911

